


CERTIFICATE OF ANALYSIS No.: 2024-13775

CLIENT

Qanoid B.V, Keizersgracht 62
1015 CT Amsterdam, Netherlands



SAMPLE *

Premium CBD Drops 500mg

Sample condition: SUITABLE
Sample ID: 2402005
Sample type: Viscous liquid
Batch No.: * DR05024008G

Work order: 2024-109904
Analysis ID: 2024_011
Method ID: PHL_RPC_16C
Method SOP: MET-LAB-001-08

Sample received: 09/01/2024
Start of analysis: 09/01/2024
End of analysis: 10/01/2024
Analyst: Valentina Malin

* Information provided by the client.

CANNABINOID PROFILE		Concentration [% w/w]	Expanded uncertainty [% w/w]	Graphic presentation of relative cannabinoid concentration
CBDV	- Cannabidivarin	< LOQ	n/a	_____
CBDA	- Cannabidiolic acid	< LOQ	n/a	_____
CBGA	- Cannabigerolic acid	< LOQ	n/a	_____
CBG	- Cannabigerol	0.699	0.091	██████████
CBD	- Cannabidiol	5.03	0.25	██
THCV	- Tetrahydrocannavarin	< LOQ	n/a	_____
CBN	- Cannabinol	0.0376	0.0083	
Δ⁹-THC	- Δ-9-Tetrahydrocannabinol	< LOQ	n/a	_____
Δ⁸-THC	- Δ-8-Tetrahydrocannabinol	< LOQ	n/a	_____
CBL	- Cannabicyclol	< LOQ	n/a	_____
CBC	- Cannabichromene	0.048	0.011	
Δ⁹-THCA	- Δ-9-Tetrahydrocannabinolic acid	< LOQ	n/a	_____
CBV	- Cannabivarin	< LOQ	n/a	_____
CBCA	- Cannabichromenic acid	< LOQ	n/a	_____
CBT	- Cannabicitran	0.052	0.011	
CBE	- Cannabielsoin	0.054 #	0.015	

Units and abbreviations: % w/w = weight percent, < LOQ = below the limit of quantitation (0.03 % w/w), ND = not detected, n/a = not available.

The results given herein apply only to the sample as received and tested. **Expanded Uncertainty** was calculated using coverage factor k = 2, corresponding to a double standard uncertainty and characterizes the interval value in which it is possible to expect the real value with a probability of 95%. This is stated according to the ISO/IEC Guide 98-3.

Total or partial reproduction of this document is not allowed without the permit from PharmaHemp d.o.o. The document does not substitute any other legal document.

Date issued:

10/01/2024

Approved by:



mag. Janja Ahej
Analytical Laboratory Manager

Authorized by:



dr. Boštjan Jančar
Chief Technology Officer

End of Certificate